

Date: Friday, 22/05/2009 4:45:54 PM
 User: Julie Dawson

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : WEARSHOE
Job Number : 48158	
Estimate Number : 12729	
P.O. Number :	Part Number : D353539 GY
This Issue : 22/05/2009 S.O. No. :	Drawing Number : D3535 REV B
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : SMALL /MED FAB	Drawing Revision : B
Previous Run : 47525	Material :
Written By :	Due Date : 29/05/2009 Qty: 12 Um: Each
Checked & Approved By : <u>JUD 09.05.25</u>	
Comment : Est Rev:A New Issue 07-02-15 JLM	
Est Rev:B As per Rev B 07-08-31 JLM Verified By:EC	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	M304S20GA	304/316 .040 Sheet
-----	-----------	--------------------



Comment: Qty.: 0.9986 sf(s)/Unit Total : 11.9826 sf(s)
 304/316 .040 Sheet
 (M304S20GA)
 Batch: 111571 B 9-5-09

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET
 1-Cut as per Dwg D3535
 Dwg Rev: B B 9-5-09
 Prog Rev: B
 2-Deburr if necessary B 9-5-09

(13)

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

8 09/06/01 (13)

5.0	BRAKE NC	NC BRAKE
-----	----------	----------



Comment: NC BRAKE
 Deburr if necessary
 Form on Brake as per Dwg D3535 using Jigs DT8261 and DT8326.
 Identify as D3535-41

8 09/06/02 (13)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 22/05/2009 4:45:54 PM
User: Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARSHOE

Job Number: 48158

Part Number: D353539

Job Number:



Seq. #:

Machine Or Operation:

Description :

Form Joggle on brake using Jig DT8158 as per Dwg D3535

SB 09/06/01

(13)

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S020602 (13)

7.0

POWDER COATING

POWDER COATING



m109091



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

(13)

START TIME:

8:05

OVEN TEMPERATURE:

3200

FINISH TIME:

8:35

FL 09/06/03

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

FL 09-06-3 (13)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

FP-18

FL 09/06/03

(13)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

09/06/04

Job Completion



MF 09-06-03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 48158
Description: Wearshoe		Part Number: D3535-39
Inspection Dwg: D3535	Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
36.815	+/-0.010	36.815	*			
32.775	+/-0.010	32.775	*			
29.275	+/-0.010	29.275	*			
25.775	+/-0.010	25.250	*			
23.250	+/-0.010	23.250	*			
19.750	+/-0.010	19.750	*			
17.750	+/-0.010	17.750	*			
14.250	+/-0.010	14.250	*			
9.500	+/-0.010	9.500	*			
4.750	+/-0.010	4.751	*			
2.000	+/-0.010	2.000	*			
5.00	+/-0.030	5.00	*			
9.00	+/-0.030	9.00	*			
28.00	+/-0.030	28.00	*			
Ø0.188	+0.005/-0.001	.190	*			
1.885	+/-0.010	1.885	*			
0.300	+/-0.010	.300	*			
0.300	+/-0.010	.300	*			
0.038	+/-0.010	.036	*			

Measured by: RB	Audited by: S	Prototype Approval:	N/A
Date: 9-5-29	Date: 09/06/01	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	07.07.18	New Issue	KJ/JLM	JE

DART


RELEASED

07.04.24


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	REV. B
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	SHEET 1 OF 7
PH	PH	D3535	
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	
A	06.10.25	NEW ISSUE	
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC	




D3535-11F FLAT PATTERN



D3535-11 BEND DETAIL



D3535-13F FLAT PATTERN



D3535-13 BEND DETAIL

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WIPER
NO. 128158

DART


RELEASED

07.04.24


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	REV. B
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	SHEET 2 OF 7
#	#	D3535	
DATE	TITLE	WEARSHOE	SCALE
07.04.17			1:10




D3535-15F FLAT PATTERN



D3535-15 BEND DETAIL



D3535-21F FLAT PATTERN



D3535-21 BEND DETAIL

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
W/OUT NOTICE
NO. 18158

DART


RELEASED
07.04.24

DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 3 OF 7
		SCALE	1:10	



D3535-23F FLAT PATTERN

D3535-23 BEND DETAIL



D3535-25F FLAT PATTERN

D3535-25 BEND DETAIL

NOTES




- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHIP COPY
RETURN TO
FOR FURNISHING
INFORMATION COPY
SUBJECT TO AGREEMENT
WITHOUT PRICE
NO. 28158

DART

RELEASED

07.04.24



SHIP COPY
RETURN TO
ENGINEERING
UNCONTROL LTD COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
NO. 48158

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK)
(REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DESIGN	C B	DRAWN BY	PH	DART AEROSPACE USA, INC.	
CHECKED	PH	APPROVED	PH	DRAWING NO.	PORT HADLOCK, WA
DATE	07.04.17	TITLE	D3535	SHEET 4 OF 7	REV. B
		WEARSHOE		SCALE	1:10

DART

RELEASED


07.04.24



D3535-35F FLAT PATTERN



D3535-35 BEND DETAIL



D3535-37F FLAT PATTERN



D3535-37 BEND DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
NO. 48158

NOTES





- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
		D3535	SHEET 5 OF 7
DATE	TITLE	WEARSHOE	SCALE
07.04.17			1:10

DART

RELEASED

07.04.24

**D3535-39F FLAT PATTERN****D3535-39 BEND DETAIL****D3535-41F FLAT PATTERN****D3535-41 BEND DETAIL**

NO. 28158
W907.000
SUBJECT TO AGREEMENT
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY
DART

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CB	PH	PORT HADLOCK, WA
CHECKED	APPROVED	DRAWING NO.
		D3535
DATE	TITLE	SCALE
07.04.17	WEARSHOE	1:10
		SHEET 6 OF 7
		REV. B




DESIGN CB	DRAWN BY PH	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED 	APPROVED 	DRAWING NO. D3535	REV. B SHEET 7 OF 7
DATE 07.04.17		TITLE WEARSHOE	SCALE 1:1


RELEASED
07.04.24



DETAIL B



DETAIL A



SECTION C-C

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITH NOTICE
WORK ORDER NO. 48158

Copyright © 2006 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.